

ISBN: 978-602-18471-4-5

**INTERNATIONAL CONFERENCE:**  
**alth 2016**

*reth and Practice*

October 19 - 20, 2016



# PROCEEDING

## INTERNATIONAL CONFERENCE: Maternal, Child and Family Health 2016

“Strengthening Maternal, Child and Family Wellbeing Through Bridging Research and Practice”

Reviewer:

Janet Hirst (Healthcare University of Leeds)

Kuldip Kaur Bharj (Healthcare University of Leeds)

Linda McGowan (Healthcare University of Leeds)

Pornpip Cananub (Mahidol University of Thailand)

Wantonoro (Chang Gung University of Taiwan)

Ruhyana (Aisyiyah University of Yogyakarta Indonesia)

Cesa Septiana Pratiwi (Aisyiyah University of Yogyakarta Indonesia)

Andari Wuri Astuti (Aisyiyah University of Yogyakarta Indonesia)

Indriani (Aisyiyah University of Yogyakarta Indonesia)

Endang Koni Suryaningsih (Aisyiyah University of Yogyakarta Indonesia)

Fitri Siswi Utami (Aisyiyah University of Yogyakarta Indonesia)

Dwi Prihatiningsih (Aisyiyah University of Yogyakarta Indonesia)

Ery Khusnal (Aisyiyah University of Yogyakarta Indonesia)

Hall 4 ‘Aisyiyah University Yogyakarta, Yogyakarta  
Indonesia 19 - 20 October 2016



## PROCEEDING INTERNATIONAL CONFERENCE: Maternal, Child and Family Health 2016

“Strengthening Maternal, Child and Family Wellbeing Through Bridging Research and Practice”

Reviewer:

Janet Hirst (Healthcare University of Leeds)

Kuldip Kaur Bharj (Healthcare University of Leeds)

Linda McGowan (Healthcare University of Leeds)

Porntip Cananub (Mahidol University of Thailand)

Wantonoro (Chang Gung University of Taiwan)

Ruhyana (Aisyiyah University of Yogyakarta Indonesia)

Cesa Septiana Pratiwi (Aisyiyah University of Yogyakarta Indonesia)

Andari Wuri Astuti (Aisyiyah University of Yogyakarta Indonesia)

Indriani (Aisyiyah University of Yogyakarta Indonesia)

Endang Koni Suryaningsih (Aisyiyah University of Yogyakarta Indonesia)

Fitri Siswi Utami (Aisyiyah University of Yogyakarta Indonesia)

Dwi Prihatiningsih (Aisyiyah University of Yogyakarta Indonesia)

Ery Khusnal (Aisyiyah University of Yogyakarta Indonesia)

Setting & Layout : Aswad Creative

Desain Cover : Aswad Creative

Cetakan 1, 20 Oktober 2016

ISBN : 978-602-18471-4-5

Diterbitkan



**unisa**

Universitas 'Aisyiyah Yogyakarta

Jl. Lingkar Barat No.63, Mlangi, Nogotirto, Gamping,

Sleman, Yogyakarta 55292

Telp: (0274) 4469199, Fax: (0274) 4469204

email: [info@unisayogya.ac.id](mailto:info@unisayogya.ac.id)

website: [www.unisayogya.ac.id](http://www.unisayogya.ac.id)

2016, Hak cipta dilindungi undang-undang

*PROCEEDING*

*INTERNATIONAL CONFERENCE:*

*Maternal, Child, and Family Health 2016*

## Acknowledgment

Assalamualaikum warahmatullah wabarakatuh

The deepest gratitude is only addressed to Allah SWT for the blessing and mercy to us, so the Proceeding of International Conference of 'Aisyiyah University of Yogyakarta in 2016 can be completed well. This proceeding contains research papers which were presented during Seminar, Workshop, and International Conference of 'Aisyiyah University of Yogyakarta within the cooperation of some universities from several countries.

International conference of 'Aisyiyah University of Yogyakarta with the theme "Strengthening Maternal, Child, and Family Wellbeing through Bridging Research and Practice" is held as the media to share information of research results and scientific experiences. The goals of the international conference are as follow: Conducting one day seminar, presented by topic experts to gain more understanding of maternal, child and family health matters. Conducting workshop to improve research quality and impacts in maternal, child and family wellbeing. The gratitude is also addressed to the Rector of 'Aisyiyah University of Yogyakarta and her staffs, the committees of the conference, and all parties who have participated and given the supports for the success of this international conference. However, this proceeding is still far from perfect. Thus, it is expected that there will be positive suggestion for further development of the proceeding in the future. It is also expected that the proceeding will give positive contribution for the development of health professionals in Indonesia. Please, enjoy the international conference.

Wassalamualaikum warahmatullah wabarakatuh

Yogyakarta, Oktober 2016

Head of LPPM 'Aisyiyah University of

Yogyakarta

Sarwinanti, M.Kep., Sp.Kep.Mat

## TABLE OF CONTENT

Acknowledgment .....	iii
Table of Content .....	iv
ACADEMIC LEVEL OF RESILIENCE IN NURSING STUDENT AT UNIVERSITY OF PADJADJARAN (Ayu Prawesti, Etika Emaliyawati, Titin Sutini, Mira Rahmawati) .	1
FOOD SERVICE QUALITY, AND PATIENTS SATISFACTION OF FOOD SERVICES I DR. SARDJITO GENERAL HOSPITAL, YOGYAKARTA ( Agil Dhiemitra Aulia Dewi <sup>1,a)</sup> , Toto Sudargo <sup>2,b)</sup> , B.J. Istiti Kandarina <sup>3</sup> , Yeni Prawiningdyah <sup>4</sup> ) .....	11
THE EFFECT OF POST-PLACENTAL INTRA UTERINE INSERTION TO THE POST PARTUM DURATION ( Istri Utami, Mochammad Anwar, Herlin Fitriana Kurniawati)	19
THE EFFECT OF EARLY INITIATION BREAST FEEDING COUNSELING TOWARD KNOWLEDGE IN PREGNANT WOMEN ( Suyani ) .....	24
CORRELATIVE FACTORS OF CHRONIC ENERGY DEFICIENCY ON PREGNANT WOMEN ( Hafifah Wijayanti <sup>1</sup> , Luluk Rosida <sup>2</sup> ) .....	34
EARTHQUAKE MITIGATION TRAINING IMPROVES THE PREPAREDNESS OF RED CROSS YOUTH MEMBERS ( Erlia Pratiwi & Dwi Prihatiningsih ) .....	43
BATHING BABY (SPONGING AND DYEING METHOD) AND UMBILICAL CORD CARE (WET AND DRY METHOD) TO THE RELEASE RATES OF UMBILICAL CORD ( Dian Nurafifah ) .....	51
THE CORRELATION BETWEEN EDUCATION AND OCCUPATION AND EARLY MARRIAGE IN SLEMAN YOGYAKARTA 2015 ( Dewi Rokhanawati <sup>1</sup> , Arimbawati <sup>2</sup> )	59
THE INFLUENCE OF DATE FRUIT ON HEMOGLOBIN LEVEL OF PREGNANT WOMEN IN THEIR SECOND TRIMESTER IN SLEMAN YOGYAKARTA ( Atik Nur Istiqomah <sup>1</sup> , Mohammad Hakimi <sup>2</sup> , Mufdlilah <sup>3</sup> ) .....	67
FAMILY CHARACTERISTICS AND QUALITY OF CHILDCARE HOME ENVIR IN IODINE DEFICIENCY DISORDER ENDEMIC AREA (Diah Yunitawati <sup>1</sup> & Leny Latifah <sup>1</sup> ) .....	75
THE EFFECT OF LISTENING AL QURAN THERAPY TO PREVENT POSTPARTUM BLUES ON POSTPARTUM WOMEN AT DR. SOETARTO HOSPITAL YOGYAKARTA ( Maulita Listian Eka Pratiwi, Nur Azizah) .....	85
THE CORRELATION BETWEEN MENOPAUSE PHASE AND ANXIETY RATE IN SEXUAL INTERCOURSE IN MENOPAUSAL WOMAN (Dwi Laely Mei Antika, Hanifa Andisetyana Putri) .....	94
ANALISED BULLYING TO SELF-ESTEEM FOR YUNIOR HIGH SCHOOL STUDENT ( Hidayatus Sya'diyah, S.Kep.,Ns., MKep, Nur Fadilah Alfianti ) .....	106
THE INFLUENCE OF TYPE OF JOB, INCOME, EDUCATION AND RELIGIOSITY TO VASECTOMY ACCEPTORS' QUALITY OF LIFE ( Elly Dwi Masita ) .....	133
THE CORRELATION BETWEEN WOMEN'S EDUCATION AND PARITY AND KNOWLEDGE ABOUT THE TREATMENT OF LOW BIRTH WEIGHT (LBW) BABIES AT WATES HOSPITAL (Sri Ratna Ningsih, Purnomo Suryantoro, Evi Nurhidayati)	139
STUDY ON CHILDREN'S NUTRITION STATUS AND OBESITY TRENDS AMONGST PRE-SCHOOL CHILDREN IN YOGYAKARTA (Indriani <sup>1</sup> Novita Fitriyani <sup>2</sup> ) .....	149
THE COMPARATIVE STUDY: EFFECTIVENESS OF GINGER TEA AND GINGER SWEET TO TREAT EMESIS GRAVIDARUM ( Faizatul Ummah ) .....	158
EFFECT OF CONSUMPTION OF GUAVA ON HEMOGLOBIN LEVELS AND FERRITIN LEVELS OF PREGNANT FE IN SAWIT II HEALTH CARE, BOYOLALI DISTRICT (Erinda Nur Pratiwi <sup>1</sup> , Etni Dwi Astuti <sup>2</sup> , Retno Wulandari <sup>3</sup> , Reni Sumanti <sup>4</sup> , Rizkia Amilia <sup>5</sup> ) .....	165
FACTORS RELATED TO UPTAKE OF VISUAL INSPECTION WITH ACETIC ACID (VIA) IN BANTUL YOGYAKARTA PROVINCE ( Mitha Risti,Fitria Siswi Utami ) .....	176

*PROCEEDING*

*INTERNATIONAL CONFERENCE:*

*Maternal, Child, and Family Health 2016*

<b>LOW USE OF LONG-TERM CONTRACEPTIVE METHOD AMONG WOMAN IN GUNUNGKIDUL ( Eminur Itri Sari&amp; Evi Nurhidayati ).....</b>	<b>181</b>
<b>THE ROLE OF PEER GROUP IN INFLEUNCING BULLYING BEHAVIOR ON SCHOOL AGED CHILDREN ( Annisa'i Rohimah, Mamnu'ah ).....</b>	<b>190</b>
<b>THE USE OF GC-MS INSTRUMENTS TO DETERMINATION OMEGA-3 FATTY ACIDS LEVELS IN BREAST MILK ( Titin Aryani, Fitria Siswi Utami ).....</b>	<b>203</b>
<b>CORRELATION BETWEEN FAMILY SUPPORT and PREGNANT WOMEN'S ATTITUDE on EARLY INITIATION of BREASTFEEDING at JETIS PRIMARY HEALTH CENTER YOGYAKARTA ( Dwi Ernawati ).....</b>	<b>208</b>
<b>EFFECT AUDIOVISUAL CONCEPTION AND NUTRIENTS COUNSELING TO THE NUTRIENT IMPROVEMENT MOTIVATION ON PREGNANT MOTHERS ( Yekti Satriyandari, Amalia Indah Puspitasari ).....</b>	<b>218</b>
<b>THE CORRELATION BETWEEN TEETH-BRUSHING BEHAVIOR AND DENTAL CARIES CASE ON THE PRIMARY SCHOOL STUDENTS (Siti Nurhidayati<sup>1</sup>, Nurul Shoimah<sup>2</sup> ).....</b>	<b>234</b>
<b>THE EFFECT OF CONSELING OF MATURATION AGE OF MARIAGE TO THE ATTITUDE OF EARLY-AGE MARIAGE DECISION (Anjarwati ,Nurul Husna).....</b>	<b>243</b>
<b>CORELATION BETWEEN PARENTS' ROLE AND TEMPER TANTRUM AMONG CHILDREN IN BENDUL MERISI SURABAYA (Lela Nurlela, Dhian Satya Rachmawati,Ita Nurdiana).....</b>	<b>253</b>
<b>THE EFFECT OF STORY TELLING USING FINGER PUPPET TOWARD FINGERNAIL HYGIENE OF PRESCHOOLERS ( Ihda Mauliyah, Ratih Indah Kartikasari ).....</b>	<b>282</b>
<b>THE ROLE OF PEERS AND PORNOGRAPHIC MEDIA EXPOSURE WITH SEXUAL BEHAVIOR AMONG ADOLESCENTS IN VOCATIONAL SENIOR HIGH SCHOOL TUNAS BANGSA SUBANG DISTRICT ( Rany Mulianny Sudirman<sup>1</sup>, Heru Pradjatmo<sup>2</sup>, Wenny Artanty Nisman<sup>3</sup> ).....</b>	<b>291</b>
<b>THE ASSOCIATION OF EARLY BREASTFEEDING INITIATION AND UTERINE INVOLUTION ( Rizki Amalia ).....</b>	<b>302</b>
<b>PERCEIVED BENEFITS OF ACTION AND SITUATIONAL INFLUENCES OF NURSES/HEALTH WORKERS IN PMTCT ( Edy Suprayitno<sup>1</sup>, Suharto<sup>2</sup>, Purwaningsih<sup>3</sup> ).....</b>	<b>309</b>
<b>EFFECTS OF HEALTH EDUCATION WITH DEMONSTRATION METHOD ON FIRST AID KNOWLEDGE OF FOOD POISONING ( Eka Saptiningrum, Widaryati ).....</b>	<b>315</b>
<b>THE CORRELATION BETWEEN NUTRITIONAL STATUS AND MENSTRUATION LENGTH WITH ANEMIA ON ADOLESCENT( Eka Vicky Yulivantina, Luluk Khusnul Dwihestie ).....</b>	<b>329</b>
<b>THE CORRELATION BETWEEN KNOWLEDGE LEVEL AND PREVENTIVE BEHAVIOR OF PATHOLOGICAL LEUCORRHOEA AMONG SIXTH SEMESTER STUDENTS AT SCHOOL OF NURSING 'AISYIYAH UNIVERSITY OF YOGYAKARTA (Ilda Aprilia Anggraini, Yuni Purwati).....</b>	<b>339</b>
<b>THE EFFECT OF DYSMENORRHEA GYMNAS TIC EXERCISE ON DYSMENORRHEA PAIN OF PHYSIOTHERAPY STUDENT (Galuh Mahendra Fe briawan Sadjarwo<sup>1</sup>, Sarwinanti<sup>2</sup> ).....</b>	<b>346</b>
<b>THE DIFFERENCES ON THE EFFECTS BETWEEN GIVING BRAIN GYM EXERCISE AND EDUCATIONAL GAME TOOLS TO INCREASE THE FINE MOTOR SKILLS OF CHILDREN AGED 4-5 YEARS (Ratri He ta Kharisma<sup>2</sup>, Siti Khotimah<sup>3</sup>).....</b>	<b>355</b>

THE RELATIONSHIP BETWEEN MOTHER'S OCCUPATION AND DEVELOPMENT STIMULATION ( Rosmita Nuzuliana ) .....	369
RELATIONSHIP BETWEEN THE ROLE OF PEERS AND READINESS MENARCHE FOR STUDENT AT MUHAMMADIYAH KARANGWARU ELEMENTARY SCHOOL YOGYAKARTA (Nurul Kurniati).....	377
MATERNAL CHARACTERISTICS ASSOCIATED WITH EXCLUSIVE BREASTFEEDING (Kharisah diniyah <sup>1</sup> , Bekti Catur Utami <sup>2</sup> ).....	384
THE RELATIONSHIP BETWEEN WOUND PERINEA CARE TO HEALING PERINEA AT POST PARTUM MOTHER IN RODLIYAH ACHID HOSPITAL PEMALANG (Nuli Nuryanti Zulala ) .....	388
ANALYSIS OF CARDIAC REHABILITATION FITNESS LEVEL OF PATIENTS POST PTCA ( Meiana Harfika ) .....	393
HEALTH BELIEFE MODELS ON MOTHER WITH HIV/AIDS IN PREVENTING PERINATAL TRANSMISSION RISK: A QUALITATIVE STUDY ( Sri Wahyuni <sup>1</sup> , Etika Khoiriyah <sup>2</sup> ) .....	419
EMPOWERMENT OF WOMEN IN RURAL AREA IN MALUKU, INDONESIA (Sugiarti., Sherly S. Turnip) .....	429
THE ASSOCIATION OF MATERNAL-FETAL ATTACHMENT AND MOTHER'S EDUCATION LEVEL AMONG PREGNANT WOMEN IN INDONESIA ( Endang Koni Suryaningsih <sup>1</sup> ) .....	435
FAMILY SUPPORT RELATIONSHIPS WITH SCHOOL AGE CHILDREN'S NUTRITIONAL STATUS AT MERANTI ISLAND, RIAU PROVINCE (Safri, Nurul Huda ) .....	440
THE RELATIONSHIP BETWEEN THE LEVEL OF FAMILY SUPPORT AND PATIENT'S ACCEPTANCE LEVEL OF THE DIAGNOSIS OF DIABETES MELLITUS TYPE II IN NEGROS ISLAND ( Febtian Cendradevi Nugroho, Tita Q.Dumalag ) .....	452
THE CORRELATION BETWEEN NUTRITIONAL STATUS AND THE INCIDENCE OFDIARRHEA IN UNDER-FIVE-YEAR-OLD CHILDREN (Siti Fatimah, Enny Fitriahadi).....	471
EFFECTIVENESS OF WOUND CARE USING POVIDON IODINE AND CHLORHEXIDINE GLUKONATE FOR HEALING POSTPARTUM PERINEAL WOUND (Evi Wahyuntari, Maulita Listian Eka) .....	478
THE EFFECT OF SITTING DURATION TO NECK PAIN OF UPPER TRAPESIUS MUSCLE ON STUDENTS ( Veni Fatmawati ).....	483
“VEE DOUGH” EDUCATIONAL TOYS THAT SAFE AND AFFORDABLE FOR CHILDREN (Vivian Nanny Lia Dewi <sup>1</sup> , Putri Utami Sukmawardani <sup>1</sup> , Septiyani Istinganah <sup>1</sup> ).....	491
CARE FOR CHILD DEVELOPMENT (CCD) TRAINING ON CADRE CAN IMPROVE THE NUTRITIONAL STATUS ON CHILDREN ( Eka Oktavianto <sup>1</sup> , Rina Triasih <sup>2</sup> , Fitri Haryanti <sup>2</sup> ) .....	498
THE CORRELATION BETWEEN KNOWLEDGE LEVEL AND PARITY TOWARD REGULAR ANTENATAL CARE VISITS ON PREGNANT WOMEN (Enny Anggraeny, Yuni Purwati <sup>3</sup> ).....	507
RELATIONSHIPS NUTRITION BEHAVIOR TO NUTRITION STATUS OF SCHOOL AGE CHILDREN IN MERANTI ISLAND, RIAU PROVINCE (Nurul Huda <sup>1</sup> , Safri <sup>2</sup> )	516
RELATIONSHIP OF PREPAREDNESS IN SELF CARE AND STRESS LEVEL AMONG STROKE PATIENTS ( Merina Widiasuti ).....	526
FACTORS RELATED TO THE QUALITY OF LIFE OF ELDERLY (Lutfi Nurdian Asnindari; Suryani ) .....	545
THE CORRELATION BETWEEN RELATIONSHIP STATUS AND ATTITUDE TOWARD FREE SEX ON TEENAGER AT ALUN-ALUN KIDUL YOGYAKARTA ( Nurfitri <sup>1</sup> , Andri Nur Sholihah <sup>2</sup> ).....	555

<b>CORRELATION BETWEEN ELECTRONIC MEDIA USAGE AND PREMARITAL SEX BEHAVIOR AMONG TEENAGERS ( Dwi Muyassaroh, Herlin Fitriana Kurniawati )</b>	<b>565</b>
<b>THE RELATIONSHIP BETWEEN MOTHER'S KNOWLEDGE AND DEVELOPMENTAL STIMULATION BEHAVIOR AGED 3-5 YEARS AT KAMBOJA MOTHER AND CHILD HEALTH SERVICE IN KALONGAN VILLAGE, MLATI SLEMAN ( Lusi Yunita Sari, Herlin Fitriana Kurniawati )</b>	<b>578</b>
<b>THE INFLUENCE OF SADARI COUNSELLING TOWARDS THE KNOWLEDGE LEVEL AND ATTITUDE OF EARLY DETECTION OF BREAST CANCER ( Ismarwati &amp; Indah Puji Astuti )</b>	<b>588</b>
<b>THE RELATIONSHIP BETWEEN EDUCATION LEVEL AND THE CHOICE OF BIRTH ATTENDANT ON TRIMESTER III IN LENDAH 2 PRIMARY HEALTH CENTER, KULONPROGO YOGYAKARTA ( Diyah Ambarini, Menik Sri Daryanti )</b>	<b>601</b>
<b>PREMENSTRUAL SYNDROME CARE AMONGST FEMALE TEEGANERS ( Elviati, Laily Nikmah )</b>	<b>615</b>
<b>FACTORS RELATED TO THE ATTENDANCE OF MOTHERS WHO HAVE UNDER FIVE CHILDREN TO INTEGRATED HEALTH SERVICE ( Retno Mawarti<sup>1</sup>, Rekina Endi Firmaningrum<sup>2</sup> )</b>	<b>622</b>
<b>EFFECT OF IRON SUPPLEMENTATION ON HEMOGLOBIN LEVELS IN ADOLESCENTS (Fitri Giyanti &amp; Sri Wahtini)</b>	<b>632</b>
<b>THE CORRELATION BETWEEN MOTHER'S OCCUPATION AND EXCLUSIVE BREAST FEEDING ON MOTHER'S WITH 6-12 MONTHS OLD BABIES AT DANUREJANI YOGYAKARTA PRIMARY HEALTH CENTER IN 2016<sup>1</sup> (Tri Wahyuning Pujiastuti<sup>1</sup>, Rolita Efriani<sup>2</sup> )</b>	<b>644</b>
<b>THE EVALUATION of MOTHER'S ABILITY TO BREASTFEED AFTER EARLY INITIATION of BREASTFEEDING (Siti Istiyati)</b>	<b>655</b>
<b>THE EFFECT OF GREEN GRASS JELLY (CYCLEA BARBATA MIERS) ON THE BLOOD PRESSURE OF MENOPAUSE WOMEN WITH HYPERTENSION (Siti Zakiah Zulfa<sup>1</sup>, Eka Fitriyanti<sup>2</sup> )</b>	<b>662</b>
<b>THE CORRELATIONS BETWEEN NUTRITIONAL STATUS AND OBEDIENCE TO TAKE FE TABLET AND ANEMIA IN 3<sup>rd</sup> TRIMESTER PREGNANT MOTHER AT PLERET PRIMARY HEALTH CENTER BANTUL (Hartati Himawan<sup>2</sup>, Fathiyatur Rohmah<sup>3</sup> )</b>	<b>671</b>
<b>THE CORRELATION BETWEEN INDUCTED PARTUM, PROLONGED PARTUM, AND MACROSOMIA BABIES WITH POSTPARTUM HAEMORRHAGE AT PANEMBAHAN SENOPATI PUBLIC HOSPITAL BANTUL (Sholaikhah tyas)</b>	<b>684</b>
<b>DURATION OF USE CONTRACEPTIVE INJT 3 MONTHS RELATED TO DESCRIPTION of LIBIDO'S ACCEPTORS at BPS YAYUK ISMAIL SIDORESMO JAGIR SURABAYA ( Puji Hastuti, Dya Sustrami, Bunga Puji Rahayu )</b>	<b>693</b>

# THE CORRELATION BETWEEN KNOWLEDGE LEVEL AND PARITY TOWARD REGULAR ANTENATAL CARE VISITS ON PREGNANT WOMEN

**Eddy Anggraeny<sup>2</sup>, Yuni Purwati<sup>3</sup>**

<sup>1</sup>Aisyiyah University of Yogyakarta

Email: [ennyanggraeny3@gmail.com](mailto:ennyanggraeny3@gmail.com)

## ABSTRACT

Antenatal care is an assessment done by healthcare staff to pregnant mother and her baby periodically to monitor mother's health and fetus growth and development. The purpose of this study was to investigate the relationship between level of knowledge, parital status and ANC visits on pregnant mothers. This study was an analytical survey with cross sectional approach. The samples were taken through incidental sampling with 65 respondents. Data analysis used Chi Square. The result showed that most of respondents 95.4% have high knowledge level, 66.7% have multiparas status, and 59.1% do regular ANC visits. There is low corelation between knowledge level and regular ANC visits and there is no correlation between parity and regular ANC visits.

**Keywords** : knowledge level, parity, regular ANC visits

## INTRODUCTION

Antenatal Care (ANC) is a program that is planned in the form of observation, education, and medical treatment in pregnant women, to obtain a process of pregnancy and childbirth safe and satisfied. Objective of Antenatal Care (ANC) is to keep staying healthy during pregnancy, childbirth and postpartum, cultivate healthy babies born, watching the possibility of a high risk of pregnancy is expected to do as well as early treatment can reduce morbidity and mortality of mother and fetus (Hutahaean, 2009 ; & Mufdlillah, 2009).

Coverage of antenatal care was monitored through a new service visit pregnant women K4 and K1 to antenatal care according to standards at least four times (K4). Coverage in Indonesia (K4) of pregnant women in 2013 amounted to 86.85% decline in 2014 is 86.70%, the national strategic plan has not achieved the target of the Ministry of Health in the amount of 95% (Profile Ministry of Health, 2014). The range of indicators ANC Bantul Regency of Yogyakarta Province in 2014 has K1 and K4 coverage is low. Bantul Regency has a number of 100% coverage of K1 and K4 89.4%, thus still has not reached the national target (DIY Health Office, 2015). The above data illustrates that compliance is still low ANC.

At first, the expected normal pregnancy can develop into a pregnancy pathology. Then the need to improve primary health care for pregnant women to improve the ANC is complete and standards-compliant.

A result that occurs when did the ANC in an irregular manner can cause problems that occur in the mother's pregnancy, are at risk of physical and mental health of mother and fetus, complications may occur during pregnancy, did not prepare for childbirth term, difficult delivery, stillbirth, increased maternal morbidity and mortality, even a severe impact on maternal and infant mortality (Purwaningsih, 2010).

The government has established maternal and child health programs included in Safemotherhood and the Millennium Development Goals (MDGs), aim to improve maternal health with the target of reducing the Maternal Mortality Rate (MMR) by reducing the MMR. It has been established also in the Minister of Health of the Republic of Indonesia No. 2562/MENKES/PER/XII/2011 explained that the minimum ANC 4 times during pregnancy.

Regularity ANC are influenced by several factors, parity, age, knowledge, attitudes, economic, social, cultural, geographic, and support the husband. Factors knowledge is one very important factor in the ANC visit, because it can detect early signs and symptoms of pregnancy complications and diseases that accompany pregnancy that a pregnant woman may ANC visit regularly. Parity is also a factor influence the ANC. Mothers who have higher parity, the higher the risk of maternal death, and therefore pregnant women are motivated to check or ANC visit regularly.

Based on the background of the problem, the researcher interested to know the correlation between knowledge and parity status with the regularity of visits Antenatal Care (ANC) for pregnant women in Panembahan Senopati Hospital Bantul.

## RESEARCH METHOD

This research is analytic survey with cross sectional approach that is independent and dependent variables only been observed and taken one course at a time when the research (Notoadmodjo, 2012). The location of research in Panembahan Senopati Hospital Bantul. The study population was post partum mothers who were treated at the Ward Alamanda of Panembahan Senopati Hospital Bantul, sample of 65 respondents using Incidental Sampling. The instrument used was a questionnaire for the independent variable level of knowledge and parity status, and the dependent variable studied from books KIA mother. Data collected in the study are primary data. Analysis of this study used univariate and bivariate with Chi Square test.

## RESULTS AND DISCUSSION

### 1. Characteristics of Sample

Characteristics of respondents were observed in this study included age, education, and occupation of respondents. Distribution of frequency and percentages can be seen as follows:  
Age of mother

Characteristics of respondents by age is presented in Table 1, as follows:

**Table 1. Frequency Distribution of Respondents by Age Group in Panembahan Senopati Hospital Bantul**

No	Age	Frequency	Percentage (%)
1	20-25 years	19	28.8
2	26-30 years	20	30.3
3	31-35 years	26	39.6
Total		65	100.0

Source: Primary Data, 2016

Table 1 show the age group of post-partum mothers in Panembahan Senopati Hospital Bantul. At most that amount age 31-35 years as 26 respondents (39.6%), while the age group least of 20-25 years were 19 respondents (28.8%).

Education of mother

Characteristics of respondents by education is presented in Table 2, as follows:

**Table 2. Frequency Distribution of Respondents by Education in Panembahan Senopati Hospital Bantul**

No	Education	Frequency	Percentage (%)
1	Elementary	12	18.2
2	Junior	21	31.8
3	Senior	25	37.9
4	Diploma/Sarjana	7	10.6
Total		65	100.0

Source: Primary Data, 2016

Table 2 shows that the majority of respondents education is Senior High School graduated of 25 (37.9%) and least Diploma/Sarjana graduated of 7 (10.6%).

Occupation

Characteristics of respondents based on the occupation presented in Table 3, as follows:

**Table 3. Frequency Distribution of Respondents by Occupation in Panembahan Senopati Hospital Bantul**

No	Occupation	Frequency	Percentage (%)
1	Labor	4	6.1
2	Housewife	19	28.8
3	Farmer	11	16.7
4	Entrepreneur	29	43.9
5	Government employe	2	3.0
Total		65	100.0

Source: Primary Data, 2016

Table 3 shows that job most respondents as the Entrepreneur which 29 (43.9%) while the least as PNS 2 (3.0%).

## 2. Univariate Analysis

### a. Knowledge level of mother

Characteristics of respondents by the knowledge level of mothers are presented in Table 4, as follows:

**Table 4. Frequency Distribution of Respondents by Knowledge Level of Mother About Pregnancy in Panembahan Senopati Hospital Bantul.**

No	Knowledge level	Frequency	Percentage (%)
1	Medium	3	4.6
2	High	62	95.4
Total		65	100.0

Source: Primary Data, 2016

Table 4 shows the knowledge level is divided into two, medium and high. Respondents who have medium level of knowledge were 3 (4.6%), while 62 (95.4%) have high knowledge.

### b. Parity Status

Characteristics of respondents by parity status are presented in Table 5, as follows:

**Table 5. Distribution of Respondents by Status Parity in Panembahan Senopati Hospital Bantul**

No	Parity Status	Frequency	Percentage (%)
1	Primiparous	21	31.8
2	Multiparous	44	66.7
Total		65	100.0

Source: Primary Data, 2016

Table 5 shows the parity status are grouped into two categories, are primiparous and multiparous. Category primiparous if maternal first time, of the 65 respondents who have the status of primiparous were 21 (31.8%). While the category of maternal multiparous if more than one time, as many as 44 (66.7%).

### c. Regularity Antenatal Care (ANC) Visit

Characteristics of respondents based on the regularity of ANC are presented in

Table 6 as follows:

**Table 6. Distribution of respondents by Regularity ANC visits in Panembahan Senopati Hospital Bantul**

No	Visit	Frequency	Percentage (%)
1	Regular	39	59.1
2	Irregular	26	39.4
Total		65	100.0

Source: Primary Data, 2016

Table 6 shows respondents who regularly visits Antenatal Care (ANC) 39 (59.1%), while respondents who do not regularly visit Antenatal Care (ANC) were 26 (39.4%).

Result Analysis Relationship of Knowledge Level with regularity ANC on Pregnancy in Panembahan Senopati Hospital Bantul

Table 7. Result Analysis Relationship of Knowledge Level with the Regularity ANC on Pregnancy in Panembahan Senopati Hospital Bantul

Variable	P Value
Pregnant mother's knowledge regularity of ANC	0.030
Contingency Coefficient	0,269

Table 7 shows that the p-value less than 0.05, it can be stated hypothesis was accepted, and the results of the Contingency Coefficient at 0.269 that there is a weak relationship between the knowledge level of pregnant women with regularity ANC visits in Panembahan Senopati Hospital Bantul.

- b. Results Analysis Relationship of Status Parity with the Regularity of the ANC on Pregnancy in Panembahan Senopati Hospital Bantul

**Table 8. Results Analysis Relationship of Status Parity with the Regularity of the ANC on Pregnancy in Panembahan Senopati Hospital Bantul**

Variable	P Value
Parity Status Regularity of ANC	0.290

Table 8 shows that the p value greater than 0.05, it can be stated hypothesis is rejected, there is no relationship between parity status with regularity ANC in Panembahan Senopati Hospital Bantul.

---

## Discussion

### a. Relationship of Knowledge Level with the Regularity ANC on Pregnancy in Panembahan Senopati Hospital Bantul

Knowledge is the result of out and going after people perform sensing of an object (stimulus) certain. Sensing occurs through the human senses, the senses of sight, hearing, smell, taste, and touch (Ariani, 2014). Knowledge of pregnant women about pregnancy ANC is a visit that includes understanding, purpose, benefits, execution time, result or impact if not done regularly visits

Based on the results of statistical analysis using Chi-Square formula obtained by value  $p = 0.269$  which indicates  $p < 0.005$  so that rejected  $H_0$  and accepted  $H_a$  with interpretation "There is a relationship level of knowledge with regularity visits Antenatal Care (ANC) for pregnant women in Panembahan Senopati Hospital Bantul".

In this study discussed the relationship the level of knowledge with regularity of visits Antenatal Care (ANC) in pregnant women. Assuming a pregnant woman who has knowledge of Antenatal Care (ANC) will affect the regularity of visits Antenatal Care (ANC). The results of the analysis conducted on the level of knowledge acquired Antenatal Care (ANC) was high with inspection visits Antenatal Care (ANC) regularly.

Results of statistical test Chi Square got value  $p$  of 0.269 between 0.20 to 0.399 means there is a low correlation between the two variables. Thus the conclusion of the study there is a relationship level of knowledge with regularity visits Antenatal Care (ANC) for pregnant women in Panembahan Senopati Hospital Bantul.

Low level of coefficient correlation in this study can occur because of a job. Respondents who mostly have a high level of knowledge about Antenatal Care (ANC) can be caused by job status. Respondents in this study were mostly working as entrepreneur as many as 29 (43.9%). Sebagaimana the majority of respondents worked as a entrepreneur so that the respondent had a busy time or a little to find the information as much as possible rather than as a housewife, who have more free time (Notoadmodjo, 2007).

### Relationship of Status Parity with the Regularity of the ANC on Pregnancy in Panembahan Senopati Hospital Bantul

Parity is the number of children born to mothers either alive or dead. Parity is not safe for pregnant and giving birth is a first pregnancy and high parity (over 3), 2-3 parity is the most secure parity terms of the maternal mortality (Fitriana, 2009).

Based on the results of statistical analysis using Chi-Square formula obtained by value  $p = 0.290$  which shows  $p > 0.005$  so that rejected  $H_0$  with interpretation "There is no relationship between parity status with the regularity of visits Antenatal Care (ANC) for pregnant women in Panembahan Senopati Hospital Bantul. This is due to the proportion of pregnant women who use antenatal care with parity status multiparous regularly (44.6%) is not much different from the parity status primiparous regularly (15.4%) This is due to the proportion of pregnant women who use antenatal care with parity status multiparous regularly (44.6%) is not much different from the parity status primiparous regularly (15.4%). Likewise, the proportion of pregnant women with irregular status multiparous (23.1%) is not much different from the parity status primiparous irregular (16.9%) with the regularity of visits Antenatal Care (ANC) for pregnant women in Panembahan Senopati Hospital Bantul.

## CONCLUSIONS AND RECOMMENDATIONS

Based on the results of research on mother's level of knowledge of almost all respondents have a high level of knowledge in the regularity of visits Antenatal Care (ANC), The majority have a status multiparous, regularly visits Antenatal Care (ANC), there is a low relationship between the level of knowledge with regularity of visits Antenatal Care (ANC) for pregnant women in Panembahan Senopati Hospital Bantul, and there is no relationship status parity with the regularity of visits Antenatal Care (ANC) in pregnant women in Panembahan Senopati Hospital Bantul.

From these results, it is expected that health workers to improve the provision of information to pregnant women about the importance of the implementation of the ANC during pregnancy regularly.

## REFERENCES DAFTAR TARRUJUKAN

Ariani, Ayu., Putri. (2014). *Aplikasi Metodologi Penelitian Kebidanan dan Kesehatan Reproduksi*. Nuha Medika: Yogyakarta.

Hutahaean, Serri. (2009). *Asuhan Keperawatan dalam Maternitas dan Ginekologi*. Trans Info Media: Jakarta.

Mufdlilah. (2009). *Antenatal Care Fokus*. Nuha Medika: Yogyakarta.

Notoatmodjo, Soekidjo. (2007). *Metodologi Penelitian Kesehatan*. Rineka Cipta: Jakarta.

Notoatmodjo, Soekidjo. (2012). *Metodologi Penelitian Kesehatan*. Rineka Cipta: Jakarta.

Profil Kementerian Kesehatan RI. (2014). Cakupan K1 dan K4. Diakses 14 Oktober 2015. <http://www.depkes.go.id/resources/download/pusdatin/profil-kesehatan-indonesia/profil-kesehatan-indonesia-2014.pdf>

Profil Kesehatan Provinsi DIY. (2015). *Upaya Kesehatan Ibu dan Anak*. Dinkes DIY: Yogyakarta.

Purwaningsih, Wahyu., Siti, Fatimah. 2010. *Asuhan Keperawatan Komunitas*. Nuha Medika: Yogyakarta











